

## SAFETY DATA SHEET

### 3D TRASAR 3DT461

#### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : 3D TRASAR 3DT461

Other means of identification : Not applicable.

Recommended use : COOLING WATER TREATMENT

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : Nalco Company  
1601 W. Diehl Road  
Naperville, Illinois 60563-1198  
USA  
TEL: (630) 305-1000

Emergency telephone number : (800) 424-9300 (24 Hours) CHEMTREC


Issuing date : 12/03/2024

#### Section: 2. HAZARDS IDENTIFICATION

##### GHS Classification

Skin corrosion : Category 1  
Serious eye damage : Category 1  
Reproductive toxicity : Category 2

##### GHS Label element

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.  
Suspected of damaging fertility or the unborn child.

Precautionary Statements : **Prevention:**  
Obtain special instructions before use. Wash skin thoroughly after handling.  
Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair):  
Take off immediately all contaminated clothing. Rinse skin with water/shower. IF  
INHALED: Remove person to fresh air and keep comfortable for breathing.  
Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with  
water for several minutes. Remove contact lenses, if present and easy to do.  
Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.  
Wash contaminated clothing before reuse.  
**Storage:**  
Store locked up.

# SAFETY DATA SHEET

## 3D TRASAR 3DT461

### Disposal:

Dispose of contents/ container to an approved waste disposal plant.

**Other hazards** : None known.

### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Concentration: (%)
Tripotassium Phosphate	7778-53-2	10 - 30
Sodium Tolyltriazole	64665-57-2	1 - 5
Potassium Hydroxide	1310-58-3	0.1 - 1

### Section: 4. FIRST AID MEASURES

In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
In case of skin contact	: Wash off immediately with plenty of water for at least 15 minutes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
If swallowed	: Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
If inhaled	: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
Protection of first-aiders	: In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.
Notes to physician	: Treat symptomatically.
Most important symptoms and effects, both acute and delayed	: See Section 11 for more detailed information on health effects and symptoms.

### Section: 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: None known.
Specific hazards during firefighting	: Not flammable or combustible.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides
Special protective equipment	: Use personal protective equipment.

## SAFETY DATA SHEET

### 3D TRASAR 3DT461

for firefighters

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

#### Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces with water.

#### Section: 7. HANDLING AND STORAGE

Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate ventilation.

Conditions for safe storage : Do not store near acids. Keep out of reach of children. Keep container tightly closed. Store in suitable labelled containers.

Suitable material : Keep in properly labelled containers.

Unsuitable material : not determined

#### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

##### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Potassium Hydroxide	1310-58-3	Ceiling	2 mg/m3	ACGIH
		Ceiling	2 mg/m3	NIOSH REL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

##### Personal protective equipment

Eye protection : Safety goggles  
Face-shield

Hand protection : Wear the following personal protective equipment:

## SAFETY DATA SHEET

### 3D TRASAR 3DT461

Standard glove type.

Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection	: Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
Respiratory protection	: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

The Personal Protective Equipment (PPE) recommendations provided above have been made in good faith based on typical expected conditions of use. PPE selection should always be completed in conjunction with a proper risk assessment and in accordance with a PPE management program.

### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: Clear, yellow to amber
Odour	: None
Flash point	: Not applicable.
pH	: 11.5 - 13.0, (100 %), (25 °C)
Odour Threshold	: no data available
Melting point/freezing point	: Freezing Point: -20 °C, ASTM D-1177 Melting point/freezing point: -17.3 °C
Initial boiling point and boiling range	: 100 °C
Evaporation rate	: no data available
Flammability (solid, gas)	: Not applicable.
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Relative density	: 1.3453 - 1.3753, (25 °C),
Density	: 1.361 g/cm <sup>3</sup>
Water solubility	: Complete
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available

## SAFETY DATA SHEET

### 3D TRASAR 3DT461

Thermal decomposition	: no data available
Viscosity, dynamic	: no data available
Viscosity, kinematic	: 12.09 mm <sup>2</sup> /s (20 °C)
Molecular weight	: no data available
VOC	: no data available

#### Section: 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: Strong acids
Hazardous decomposition products	: In case of fire, hazardous decomposition products may be produced such as: Carbon oxides nitrogen oxides (NO <sub>x</sub> ) Sulphur oxides

#### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact, Ingestion

##### Potential Health Effects

Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Causes digestive tract burns.
Inhalation	: May cause nose, throat, and lung irritation.
Chronic Exposure	: Suspected of damaging fertility or the unborn child.

##### Experience with human exposure

Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Corrosion
Ingestion	: Corrosion, Abdominal pain
Inhalation	: Respiratory irritation, Cough

##### Toxicity

## SAFETY DATA SHEET

### 3D TRASAR 3DT461

#### Product

Acute oral toxicity	: Acute toxicity estimate: > 5,000 mg/kg
Acute inhalation toxicity	: Acute toxicity estimate: 45.11 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: no data available
Skin corrosion/irritation	: no data available
Serious eye damage/eye irritation	: no data available
Respiratory or skin sensitization	: no data available
Carcinogenicity	: no data available
Reproductive effects	: no data available
Germ cell mutagenicity	: no data available
Teratogenicity	: no data available
STOT - single exposure	: no data available
STOT - repeated exposure	: no data available
Aspiration toxicity	: no data available

#### Section: 12. ECOLOGICAL INFORMATION

#### **Toxicity**

Environmental Effects	: Harmful to aquatic life with long lasting effects.
-----------------------	--

#### **Product**

Toxicity to fish	: LC50 Fathead Minnow: 1,053 mg/l Exposure time: 96 hrs Test substance: Product  NOEC Fathead Minnow: 648 mg/l Exposure time: 96 hrs Test substance: Product  LC50 Inland Silverside: 1,481 mg/l Exposure time: 96 hrs Test substance: Product  NOEC Inland Silverside: 1,080 mg/l Exposure time: 96 hrs Test substance: Product  LC50 Rainbow Trout: 660 mg/l Exposure time: 96 hrs Test substance: Product  NOEC Rainbow Trout: 500 mg/l
------------------	--

## SAFETY DATA SHEET

### 3D TRASAR 3DT461

Exposure time: 96 hrs  
Test substance: Product

Toxicity to daphnia and other aquatic invertebrates : EC50 Ceriodaphnia dubia: 1,994 mg/l  
Exposure time: 48 hrs  
Test substance: Product

LC50 Ceriodaphnia dubia: 1,994 mg/l  
Exposure time: 48 hrs  
Test substance: Product

NOEC Ceriodaphnia dubia: 1,080 mg/l  
Exposure time: 48 hrs  
Test substance: Product

LC50 Mysid Shrimp (Mysidopsis bahia): 1,259 mg/l  
Exposure time: 96 hrs  
Test substance: Product

NOEC Mysid Shrimp (Mysidopsis bahia): 648 mg/l  
Exposure time: 96 hrs  
Test substance: Product

#### Components

Toxicity to algae : Sodium Tolytriazole  
EC50 Aquatic Plant: 53 mg/l  
Exposure time: 72 h

#### Components

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Sodium Tolytriazole  
NOEC: 0.4 mg/l  
Exposure time: 21 d  
Species: Daphnia galeata (water flea)

#### Persistence and degradability

Biodegradability : Result: Poorly biodegradable

Total Organic Carbon (TOC) : 86,000 mg/l

Chemical Oxygen Demand (COD): 180,000 mg/l

Biochemical Oxygen Demand (BOD):

Incubation Period  
5 d

Value  
68 mg/l

Test Descriptor

#### Mobility

no data available

#### Bioaccumulative potential

no data available

## SAFETY DATA SHEET

### 3D TRASAR 3DT461

#### Other information

no data available

#### Section: 13. DISPOSAL CONSIDERATIONS

- Disposal methods : Do not contaminate storm water drains, natural waterways or soil with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

#### Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

##### Land transport (DOT)

- Proper shipping name : CORROSIVE LIQUID, N.O.S.  
Technical name(s) : Sodium Tolytriazole, Potassium Hydroxide  
UN/ID No. : UN 1760  
Transport hazard class(es) : 8  
Packing group : III  
Reportable Quantity (per package) : 1,000 lbs  
RQ Component : Potassium Hydroxide

##### Air transport (IATA)

- Proper shipping name : CORROSIVE LIQUID, N.O.S.  
Technical name(s) : Sodium Tolytriazole, Potassium Hydroxide  
UN/ID No. : UN 1760  
Transport hazard class(es) : 8  
Packing group : III  
Reportable Quantity (per package) : 1,000 lbs  
RQ Component : Potassium Hydroxide

##### Sea transport (IMDG/IMO)

- Proper shipping name : CORROSIVE LIQUID, N.O.S.  
Technical name(s) : Sodium Tolytriazole, Potassium Hydroxide  
UN/ID No. : UN 1760  
Transport hazard class(es) : 8  
Packing group : III

#### Section: 15. REGULATORY INFORMATION



## SAFETY DATA SHEET

### 3D TRASAR 3DT461

**TSCA list** : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### EPCRA - Emergency Planning and Community Right-to-Know Act

##### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Potassium Hydroxide	1310-58-3	1000	136986

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Reproductive toxicity  
Skin corrosion or irritation  
Serious eye damage or eye irritation

**SARA 302** : This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

##### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### INTERNATIONAL CHEMICAL CONTROL LAWS :

##### United States TSCA Inventory

On or in compliance with the active portion of the TSCA inventory

##### Australia. Australian Industrial Chemicals Introduction Scheme (AICIS)

On the inventory, or in compliance with the inventory.

##### Japan. ENCS - Existing and New Chemical Substances Inventory

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

##### Korea. Korean Existing Chemicals Inventory (KECI)

On the inventory, or in compliance with the inventory.

##### Philippines Inventory of Chemicals and Chemical Substances (PICCS)

On the inventory, or in compliance with the inventory.

##### China Inventory of Existing Chemical Substances

On the inventory, or in compliance with the inventory.

##### Taiwan Chemical Substance Inventory

not determined

# SAFETY DATA SHEET


3D TRASAR 3DT461

## Canadian Domestic Substances List (DSL)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

## Section: 16. OTHER INFORMATION

### NFPA:



### HMIS III:

HEALTH	3*
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Revision Date : 12/03/2024  
Version Number : 2.3  
Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit [www.ecolab.com/sds](http://www.ecolab.com/sds) and request access.