

Date Prepared: 11/05/2020

SDS No: JEMStrip427US

Date Revised: 12/01/2020

Revision No: 2

# JEMStrip 427

## 1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: JEMStrip 427

**GENERAL USE:** Hot tank stripper with oil seal

PRODUCT DESCRIPTION: Paint & Coatings Remover

**CHEMICAL FAMILY: Mixture** 

#### **MANUFACTURER**

Jem Chemical 814 Castro Street San Leandro, CA 94577

**Customer Service:** 888-819-9620 **E-Mail:** info@jemchemical.com

## 24 HR. EMERGENCY TELEPHONE NUMBERS

Poison Control Center (Medical): (877) 800-5553 CANUTEC (Canadian Transportation): (613) 996-6666 CHEMTREC (US Transportation): (800) 424-9300

# 2. HAZARDS IDENTIFICATION

#### **GHS CLASSIFICATIONS**

### Health:

Eye Irritation, Category 2A Skin Irritation, Category 2 Reproductive Toxicity, Category 1B Target Organ Toxicity (Single exposure), Category 3

#### GHS LABEL

Read label before use.







Health hazard

SIGNAL WORD: DANGER HAZARD STATEMENTS

Causes skin irritation.

Causes serious eye irritation.

 $\label{eq:may-cause} \text{May cause respiratory irritation.}$ 

May damage fertility or the unborn child (state specific effect if known)(state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).

#### PRECAUTIONARY STATEMENTS



Date Prepared: 11/05/2020

SDS No: JEMStrip427US

Date Revised: 12/01/2020

Revision No: 2

# JEMStrip 427

#### General:

Wear protective gloves/protective clothing/eye protection/face protection.

Keep away from heat and flame.

Keep away from hot surfaces, sparks, open flames and other ignition sources

Avoid breathing dust/fume/gas/mist/vapours/spray.

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

#### POTENTIAL HEALTH EFFECTS

**EYES:** Can cause severe eye irritation.

**SKIN:** Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

SKIN ABSORPTION: Prolonged skin absorbtion can be harmful.

INGESTION: Nausea, diarrhea, gastrointestinal irritation

**INHALATION:** High vapor concentrations are irritating to the eyes, nose, throat and lungs.

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
1-methyl-2-pyrrolidinone	~ 40 - 60	872-50-4
Gasoil - Unspecified - Distillates (petroleum), Hydrotreated Middle	~ 10 - 20	64742-46-7
D-gluconic acid, compound with aminoethanol	~ 12 - 18	20405-61-2
Proprietary, non-regulated, non-hazardous	~ 1 - 5	N/A
Ethanol, 2-amino-	~ 1 - 3	141-43-5
C12-16 Ethoxylated Alcohol	~ 1 - 5	68551-12-2
C12-13 Alcohol Ethoxylate	~ 1 - 3	66455-14-9

# 4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

**SKIN:** In the case of skin irritation or alergic reactions, consult a physician.

**INGESTION:** Get immediate medical attention. Do not induce vomiting unless instructed to do so by poison center or physician.

**INHALATION:** If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

#### SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Irritation, redness, watering eyes



Date Prepared: 11/05/2020

SDS No: JEMStrip427US

Date Revised: 12/01/2020

Revision No: 2

# JEMStrip 427

SKIN: Itching, redness.

SKIN ABSORPTION: Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin

irritation and dermatitis (rash).

**INGESTION:** May be harmful if swallowed and enters airways.

INHALATION: High vapor concentrations are irritating to the eyes, nose, throat and lungs.

ACUTE EFFECTS: Not Established CHRONIC EFFECTS: Not yet Known

#### 5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: Combustible Liquid in bulk containers > 119 gallons

EXTINGUISHING MEDIA: Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon

FIRE FIGHTING PROCEDURES: Fight fire with normal precautions from a reasonable distance.

FIRE FIGHTING EQUIPMENT: As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH

approved or equivalent) and full protective gear.

FIRE EXPLOSION: None Expected.

**HAZARDOUS DECOMPOSITION PRODUCTS:** None known.

#### 6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Pick up wash liquid with additional absorbent and place in a disposable container.

LARGE SPILL: Dike area in front of spill and contain for appropriate disposal.

# **ENVIRONMENTAL PRECAUTIONS**

WATER SPILL: Not Established

**LAND SPILL:** Avoid runoff into storm sewers and ditches which lead to waterways.

AIR SPILL: Not Established

#### 7. HANDLING AND STORAGE

**HANDLING:** Use good industrial practice.

STORAGE: Store in a cool place in original container and protect from sunlight.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION



**Date Prepared**: 11/05/2020

SDS No: JEMStrip427US

Date Revised: 12/01/2020

Revision No: 2

# JEMStrip 427

#### EXPOSURE GUIDELINES

	OSHA HAZARDOUS	S COMPONENTS (29 C	FR1910.1200)	
	EXPOSURE LIMITS			
Chemical Name	Туре		ppm	mg/m³
Ethanol, 2-amino-	ACGIH TLV	TWA	3	7.5
	STEL	6	15	
	OSHA PEL	TWA	3	6
	Supplier OEL	TWA	NL	NL
	STEL	NL	NL	

**ENGINEERING CONTROLS:** Local exhaust ventilation may be necessary to control any air contaminants to within their TLVs during the use of this product.

## PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE:

Wear safety glasses with side shields (or goggles) and a face shield.

Should wear gloves when handling.

**RESPIRATORY:** [In case of inadequate ventilation] wear respiratory protection. **PROTECTIVE CLOTHING:** Wear appropriate protective clothing as required **WORK HYGIENIC PRACTICES:** Wash hands before eating and wash before reuse.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Chemical Name	Flash Point (°C)	Boiling Point (°C)	Specific Gravity
1-methyl-2-pyrrolidinone	204	202	1.026

**ODOR:** Bland

**APPEARANCE:** Clear liquid

**COLOR:** Amber **pH:** ~ 10.5 to 11.5

PERCENT VOLATILE: Not Established



Date Prepared: 11/05/2020

SDS No: JEMStrip427US

Date Revised: 12/01/2020

Revision No: 2

# JEMStrip 427

FLASH POINT AND METHOD: > (200°F) Closed Cup AUTOIGNITION TEMPERATURE: Not Established

VAPOR PRESSURE: Not Established
BOILING POINT: Not Established
SOLUBILITY IN WATER: Miscible
SPECIFIC GRAVITY: 0.98 to 1.00

VISCOSITY #1: ~

(VOC): ≤ 90 grams / litre EPA method 24 & ASTM D-3960

#### 10. STABILITY AND REACTIVITY

**REACTIVITY: None** 

HAZARDOUS POLYMERIZATION: Will not occur

STABILITY: Stable

**CONDITIONS TO AVOID:** Avoid high temperatures, ignition sources and incompatible materials.

INCOMPATIBLE MATERIALS: Oxidizing materials.

## 11. TOXICOLOGICAL INFORMATION

## **ACUTE TOXICITY**

Chemical Name	ORAL LD <sub>50</sub>	DERMAL LD <sub>50</sub>	INHALATION LC <sub>50</sub>
1-methyl-2-pyrrolidinone	3914	2200 to 4000	> 5100

## 12. ECOLOGICAL INFORMATION

**ENVIRONMENTAL DATA:** Expected to biodegrade readily. **ECOTOXICOLOGICAL INFORMATION:** Not Established **BIOACCUMULATION/ACCUMULATION:** Not Established

# 13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Always check with local authorities regarding disposal of chemical products

FOR LARGE SPILLS: Dike area in front of spill and contain for appropriate disposal.

**EMPTY CONTAINER:** Follow all MSDS/label precautions even after container is emptied because it may retain product residues.

#### 14. TRANSPORT INFORMATION

**DOT (DEPARTMENT OF TRANSPORTATION)** 



**Date Prepared:** 11/05/2020

SDS No: JEMStrip427US Date Revised: 12/01/2020

Revision No: 2

# JEMStrip 427

PROPER SHIPPING NAME: Compounds, cleaning liquid, NOT DOT Regulated (non-bulk)

**BULK FREIGHT CLASS:** Class 3

PLACARDS: 1993

**LABEL:** Combustible liquids, n.o.s.

AIR (ICAO/IATA)

SHIPPING NAME: No further information available.

#### 15. REGULATORY INFORMATION

## **UNITED STATES**

## SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

#### **EPCRA SECTION 313 SUPPLIER NOTIFICATION**

Chemical Name	Wt.%	CAS
1-methyl-2-pyrrolidinone	~ 40 - 60	872-50-4

#### 302/304 EMERGENCY PLANNING

**EMERGENCY PLAN:** Not applicable.

# TSCA (TOXIC SUBSTANCE CONTROL ACT)

Chemical Name	CAS
1-methyl-2-pyrrolidinone	872-50-4
Gasoil - Unspecified - Distillates (petroleum), Hydrotreated Middle	64742-46-7
Ethanol, 2-amino-	141-43-5

TSCA STATUS: All components are listed on the TSCA inventory

#### **CALIFORNIA PROPOSITION 65**

Chemical Name	Wt.%	Listed
1-methyl-2-pyrrolidinone	~ 40 - 60	Developmental Toxicity

#### 16. OTHER INFORMATION

PREPARED BY: G.Westlund **Date Revised:** 12/01/2020

REVISION SUMMARY: This SDS replaces the 12/01/2020 SDS. Revised: Section 1: GENERAL USE. Section 2: . Section 9:

BOILING POINT, SOLUBILITY IN WATER, SPECIFIC GRAVITY, (VOC).




Date Prepared: 11/05/2020 SDS No: JEMStrip427US Date Revised: 12/01/2020

Revision No: 2

# JEMStrip 427

# HMIS RATING HEALTH 2 FLAMMABILITY 1 PHYSICAL HAZARD 0 PERSONAL PROTECTION C



**MANUFACTURER DISCLAIMER:** The information contained is based upon our knowledge of the product at the date of publishing. Users are advised of possible additional hazards when the product is used in applications for which it was not intended. This sheet shall only be used and reproduced for prevention and security purposes. The references to legislative, regulatory and codes of practice documents cannot be considered as exhaustive. It is the responsibility of the handlers of the product to pass on to any subsequent persons who will come in contact with the product (usage, storage, cleaning of containers, other processes) the totality of information contained in this safety data sheet and necessary for safety at work, and for protection of health and environment.